



KING EDWARD VI  
HANDSWORTH GRAMMAR  
SCHOOL FOR BOYS



KING EDWARD VI  
ACADEMY TRUST  
BIRMINGHAM

# Year 11

## 2024 Mathematics 2025

### Unit 24 Booklet – Part 1

HGS Maths



Tasks



Dr Frost Course



Name: \_\_\_\_\_

Class: \_\_\_\_\_



KING EDWARD VI  
HANDSWORTH GRAMMAR  
SCHOOL FOR BOYS



KING EDWARD VI  
ACADEMY TRUST  
BIRMINGHAM

# Year 11

## 2024 Mathematics 2025

### Unit 24 Booklet – Part 2

HGS Maths



Tasks



Dr Frost Course



Name: \_\_\_\_\_

Class: \_\_\_\_\_

## Contents

- 1 [Equations of Circles and Tangents](#)
- 2 [Advanced Equations of Circles \(L2FM Only\)](#)
- 3 [Advanced Simultaneous Equations](#)
- 4 [Advanced Sequences](#)
- 5 [Limiting Values of Sequences \(L2FM Only\)](#)
- 6 [Algebraic Proof](#)
- 7 [Advanced Vectors](#)

# 1 Equations of Circles and Tangents

### Worked Example

Determine whether the point with coordinates  $(-5, 7)$  lies on with circle with the equation  $x^2 + y^2 = 85$ .

### Your Turn

Determine whether the point with coordinates  $(6, -8)$  lies on with circle with the equation  $x^2 + y^2 = 100$ .

### Worked Example

Find the radius of the circle with equation:

a)  $x^2 + y^2 = 196$

b)  $x^2 + y^2 = 326$

### Your Turn

Find the radius of the circle with equation:

a)  $x^2 + y^2 = 169$

b)  $x^2 + y^2 = 362$

### Worked Example


Find an equation of the circle with radius  $3\sqrt{5}$  and centre  $(0, 0)$ .

### Your Turn

Find an equation of the circle with radius  $5\sqrt{2}$  and centre  $(0, 0)$ .


### Worked Example

Find an equation of the circle drawn below.



### Your Turn

Find an equation of the circle drawn below.





### Worked Example

The point  $(-5, 3)$  lies on a circle centered on the origin.  
Find an equation for this circle.

### Your Turn

The point  $(-7, -2)$  lies on a circle centered on the origin.  
Find an equation for this circle.

### Worked Example

The circle below is given by the equation  $x^2 + y^2 = 16$ .

- a) Calculate its circumference,  $C$ .
- b) Calculate the shaded area,  $A$ .

Give your answers correct to 2 decimal places.

### Your Turn

The circle below is given by the equation  $x^2 + y^2 = 64$ .

- a) Calculate its circumference,  $C$ .
- b) Calculate the shaded area,  $A$ .

Give your answers correct to 2 decimal places.

### Worked Example

- a) A circle has a circumference of  $6\pi$ . Find an equation for the circle.
- b) A circle has an area of  $49\pi$ . Find an equation for the circle.

### Your Turn

- a) A circle has a circumference of  $12\pi$ . Find an equation for the circle.
- b) A circle has an area of  $25\pi$ . Find an equation for the circle.

### Fill in the Gaps


Equation	Radius	Area	Point 1	Point 2	Where is (3, 7)?
$x^2 + y^2 = 25$			(3, _____)	(_____, 0)	Outside
$x^2 + y^2 = 50$			(-5, _____)	(_____, 7)	
$x^2 + y^2 = 65$			(1, _____)	(_____, 7)	
	15		(9, _____)	(_____, 0)	
	$5\sqrt{5}$		(-5, _____)	(_____, 11)	
		$130\pi$	(-7, _____)	(_____, 11)	
		2042	(19, _____)	(_____, 11)	
			(-4, _____)	(8, 11)	
			(1, _____)	(-7, 11)	
			(-7, _____)	(_____, $\sqrt{22}$ )	On the circle

## Worked Example

The annulus below is formed of two circles centred on the origin. The equations of the circles are:

$$x^2 + y^2 = 49$$

$$x^2 + y^2 = 16$$



- Calculate the perimeter of the shaded shape.
- Calculate the area of the shaded shape.


Give your answers correct to 2 decimal places.

## Your Turn

The annulus below is formed of two circles centred on the origin. The equations of the circles are:

$$x^2 + y^2 = 25$$

$$x^2 + y^2 = 4$$




- Calculate the perimeter of the shaded shape.
- Calculate the area of the shaded shape.

Give your answers correct to 2 decimal places.

### Worked Example


The diagram shows the circle with equation  $x^2 + y^2 = 164$



A tangent to the circle is drawn at point  $A$  with coordinates  $(8, 10)$ . Find an equation of the tangent at  $A$ .

### Your Turn

The diagram shows the circle with equation  $x^2 + y^2 = 106$



A tangent to the circle is drawn at point  $P$  with coordinates  $(5, 9)$ . Find an equation of the tangent at  $P$ .


## Fill in the Gaps

Equation of Circle	Point on Circle	Gradient of Radius	Gradient of Tangent	Equation of Tangent
$x^2 + y^2 = 45$	$(3, 6)$	2	$-\frac{1}{2}$	
$x^2 + y^2 = 10$	$(3, -1)$	$m = -\frac{1}{3}$		
$x^2 + y^2 = 68$	$(-2, -8)$			
$x^2 + y^2 = 25$	$(-4, 3)$			
$x^2 + y^2 = 73$	$(8, 3)$			
$x^2 + y^2 = \frac{53}{2}$	$(\frac{5}{2}, -\frac{9}{2})$			
$x^2 + y^2 = 6$	$(-2, \sqrt{2})$			
$x^2 + y^2 = 100$				$y = \frac{3}{4}x - \frac{25}{2}$

### Worked Example

A circle has equation  $x^2 + y^2 = 65$


$M$  is the point on the circle with coordinates  $(-4, 7)$



The tangent to the circle at  $M$  intersects the  $x$ -axis at point  $N$ .  
Work out the  $x$ -coordinate of  $N$ .

### Your Turn

The diagram shows a circle with centre  $(0, 0)$  and a tangent at the point  $M(-7, 4)$




The tangent to the circle at  $M$  intersects the  $x$ -axis at point  $N$ .  
Work out the  $x$ -coordinate of  $N$ .



### Worked Example

A circle has equation  $x^2 + y^2 = 85$

$M$  is the point on the circle with coordinates  $M(6, 7)$




The tangent to the circle at  $M$  intersects the  $x$ -axis at point  $N$ .  
Work out the area of triangle  $OMN$ .

### Your Turn

A circle has equation  $x^2 + y^2 = 100$

$A$  is the point on the circle with coordinates  $A(-6, 8)$



The tangent to the circle at  $A$  intersects the  $x$ -axis at point  $B$ .  
Work out the area of triangle  $OAB$ .

## Extra Notes

## 2 Advanced Equations of Circles (L2FM Only)

### Worked Example

Determine whether the point  $(-4, -5)$  is inside the circle, on the circle, or outside the circle with equation  $(x + 1)^2 + (y - 1)^2 = 47$

### Your Turn

Determine whether the point  $(-4, 9)$  is inside the circle, on the circle, or outside the circle with equation  $(x + 2)^2 + (y - 4)^2 = 28$

### Worked Example

Find an equation of the circle with radius  $3\sqrt{2}$  and centre  $(-2, 4)$ .

### Your Turn

Find an equation of the circle with radius  $2\sqrt{11}$  and centre  $(2, -5)$ .

### Worked Example

Find the centre and exact value of the radius of the circle with equation  $(x + 1)^2 + (y - 4)^2 = 18$  where the centre of the circle is  $(a, b)$  and the radius is given in its simplest form.

### Your Turn

Find the centre and exact value of the radius of the circle with equation  $(x - 4)^2 + (y + 5)^2 = 12$  where the centre of the circle is  $(a, b)$  and the radius is given in its simplest form.

### Worked Example

Find the centre and radius of the circle with equation  
 $x^2 + y^2 + 24x - 14y + 150 = 0$   
giving your answer in exact form.

### Your Turn

Find the centre and radius of the circle with equation  
 $x^2 + y^2 - 20x + 18y = -89$   
giving your answer in exact form.

### Worked Example

A circle  $C$  has equation  
 $x^2 + y^2 + 2kx + 4ky + 80 = 0$   
where  $k$  is a constant.

By considering the radius of  $C$ , state the range of possible values for  $k$ .

### Your Turn

A circle  $C$  has equation  
 $x^2 + y^2 + 2kx + 2ky = -18$   
where  $k$  is a constant.

By considering the radius of  $C$ , state the range of possible values for  $k$ .



### Worked Example

Write down the equation of a circle with centre  $(-1, 5)$  and diameter of  $2\sqrt{10}$ . Give your answer in the form  $x^2 + y^2 + ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are constants to be found.

### Your Turn

Write down the equation of a circle with centre  $(-6, -4)$  and diameter of  $2\sqrt{15}$ . Give your answer in the form  $x^2 + y^2 + ax + by + c = 0$ , where  $a$ ,  $b$  and  $c$  are constants to be found.

## Fill in the Gaps

Equation in Factorised Form	Equation in Expanded Form	Centre of Circle	Radius of Circle
$(x + 2)^2 + (y + 5)^2 = 9$	$x^2 + y^2 + 4x + 10y + 20 = 0$	$(-2, -5)$	3
$(x - 3)^2 + (y + 2)^2 = 25$	$x^2 + y^2 - 6x + 4y - 12 = 0$		
$x^2 + (y - 1)^2 = 4$			
		$(-1, 4)$	10
		$(-6, 0)$	5
		$(4, 2)$	$\sqrt{15}$
	$x^2 + y^2 + 2x + 6y - 6 = 0$		
	$x^2 + y^2 - 8x + 10y - 40 = 0$		
		$\left(\frac{1}{2}, \frac{3}{2}\right)$	2
	$x^2 + y^2 - 5x - 12y + 30 = 0$		

### Worked Example

The circle  $C$  has the equation

$$x^2 + y^2 - 22x - 14y + 40 = 0$$

Find the coordinates of the points where the circle  $C$  crosses the  $x$  or  $y$  axes.

### Your Turn

The circle  $C$  has the equation

$$x^2 + y^2 + 2x - 22y - 48 = 0$$

Find the coordinates of the points where the circle  $C$  crosses the  $x$  or  $y$  axes.

### Worked Example

The line  $PQ$  is the diameter of a circle where  $P$  and  $Q$  have coordinates  $(-3, -2)$  and  $(9, -18)$  respectively.  
Find the equation of the circle, giving your answer in the form  $x^2 + y^2 + ax + by + c = 0$

### Your Turn

The line  $CD$  is the diameter of a circle where  $C$  and  $D$  have coordinates  $(-9, -4)$  and  $(-3, -12)$  respectively.  
Find the equation of the circle, giving your answer in the form  $x^2 + y^2 + ax + by + c = 0$

## Fill in the Gaps


Each circle has a diameter  $AB$ , a centre  $C$  and a radius  $r$

Point A	Point B	Gradient of AB	Equation of AB	Centre C	Radius r	Equation of Circle
(3, 4)	(-3, -4)				5	$x^2 + y^2 = 25$
(0, 5)	(6, -3)					
(4, 0)				(2, -1)		
	(2, -2)			(4, 2)		
(-12, 4)						$(x + 9)^2 + y^2 = 25$
		1		(1, -1)	$\sqrt{2}$	
			$y = 3x - 17$	(4, -5)	$\sqrt{10}$	
			$y = \frac{3}{4}x - \frac{9}{4}$			$(x + 1)^2 + (y + 3)^2 = 100$

### Worked Example

Circle  $C_1$  has equation  $(x - 5)^2 + (y - 3)^2 = a$

Circle  $C_2$  has equation  $x^2 + y^2 - 2x - 8y - 25 = 0$




The centre of  $C_2$  lies on the circumference of  $C_1$   
Find the value of  $a$ .

### Your Turn

Circle  $C_1$  has equation  $(x - 3)^2 + (y - 2)^2 = h$


Circle  $C_2$  has equation  $x^2 + y^2 - 10x - 10y - 54 = 0$



The centre of  $C_2$  lies on the circumference of  $C_1$   
Find the value of  $h$ .

## Worked Example


The diagram shows a circle with centre  $C$ .  
The circle intersects the  $x$ -axis at  $(-2, 0)$  and  $(0, -4)$   
The circle touches the  $y$ -axis at  $(-8, 0)$



Work out the equation of the circle.

## Your Turn


The diagram shows a circle with centre  $C$ .  
The circle intersects the  $x$ -axis at  $(18, 0)$  and  $(0, 6)$   
The circle touches the  $y$ -axis at  $(2, 0)$



Work out the equation of the circle.

## Worked Example


The diagram shows a circle, centre  $C$  with radius 10. The circle passes through the points  $A(16, -19)$  and  $B(4, -19)$ .



Work out the equation of the circle.

## Your Turn

The diagram shows a circle, centre  $C$  with radius 17. The circle passes through the points  $R(-20, 2)$  and  $S(-20, -28)$ .



Work out the equation of the circle.



### Worked Example

Circle  $A$  has equation  $x^2 + y^2 - 8x - 6y - 84 = 0$

Circle  $B$  has equation  $x^2 + y^2 + 10x + 30y + 184 = 0$

Select the correct statement.

- The circles overlap
- The circles touch
- The circles do not touch or overlap

### Your Turn

Circle  $A$  has equation  $x^2 + y^2 + 40x + 42 + 517 = 0$

Circle  $B$  has equation  $x^2 + y^2 - 8x - 6y - 169 = 0$

Select the correct statement.

- The circles overlap
- The circles touch
- The circles do not touch or overlap

### Worked Example

Circle  $A$  has equation  $x^2 + y^2 + 6x - 8y - 24 = 0$

Circle  $B$  has equation  $x^2 + y^2 - 30x + 16y + 120 = 0$

Find the exact shortest distance between the two circles.

### Your Turn

Find the exact shortest distance between the two circles.

Circle  $A$  has equation  $x^2 + y^2 + 6x + 8y - 56 = 0$


Circle  $B$  has equation  $x^2 + y^2 - 18x - 24y + 144 = 0$

Find the exact shortest distance between the two circles.

### Worked Example

A circle has centre  $C$  and equation  $(x + 3)^2 + (y + 3)^2 = 250$ .


There are two points  $S(-12, -16)$  and  $T(-8, 12)$  which lie on the circle. Find the length of the shortest distance from  $C$  to the chord  $ST$ .



### Your Turn


A circle has centre  $C$  and equation  $(x + 8)^2 + (y + 10)^2 = 145$ .

There are two points  $S(-20, -9)$  and  $T(-17, -18)$  which lie on the circle. Find the length of the shortest distance from  $C$  to the chord  $ST$ .



### Worked Example


The diagram shows a circle  $C$  with centre  $S$  and radius  $4\sqrt{6}$  and the point  $T$  which lies on  $C$ .  
The tangent to  $C$  at point  $T$  passes through the origin  $O$  and  $OT = 13$



Given that the coordinates of  $S$  are  $(m, -12)$ , find the value of  $m$ .

### Your Turn


The diagram shows a circle  $C$  with centre  $W$  and radius  $4\sqrt{7}$  and the point  $T$  which lies on  $C$ .  
The tangent to  $C$  at point  $T$  passes through the origin  $O$  and  $OT = 11$



Given that the coordinates of  $W$  are  $(13, k)$ , find the value of  $k$ .

## Worked Example


A circle  $C$  has radius 7 and centre  $(-4, 9)$ , as shown in the figure.



A line through the point  $P(-11, -3)$  is a tangent to the circle  $C$  at the point  $T$ .  
Find the length of  $PT$ .

## Your Turn

A circle  $C$  has radius 6 and centre  $(7, 9)$ , as shown in the figure.




A line through the point  $P(-11, -5)$  is a tangent to the circle  $C$  at the point  $T$ .  
Find the length of  $PT$ .

## Worked Example

A circle has equation

$$x^2 + y^2 - 10x + 6y - 3 = 0$$

Find the equation of the tangent to the circle at the point  $(11, -4)$ . Give your answer in the form  $ax + by = c$ , where  $a$ ,  $b$  and  $c$  are integers to be found.




## Your Turn

A circle has equation

$$x^2 + y^2 - 4x - 18y + 27 = 0$$

Find the equation of the tangent to the circle at the point  $(9, 12)$ . Give your answer in the form  $ax + by = c$ , where  $a$ ,  $b$  and  $c$  are integers to be found.



## Extra Notes

### 3 Advanced Simultaneous Equations



### Worked Example

Solve the following pair of simultaneous equations:

$$xy = 2$$

$$y = x + 1$$

### Your Turn

Solve the following pair of simultaneous equations:

$$xy = 2$$

$$y = x - 1$$

### Worked Example

Solve the following pair of simultaneous equations:

$$x^2 + y^2 = 9$$

$$y = x + 3$$

### Your Turn

Solve the following pair of simultaneous equations:

$$xy = 2$$

$$y = x - 1$$

### Worked Example

Solve the following pair of simultaneous equations:

$$3x + 4y = 5$$

$$x^2 + y^2 = 17$$

### Your Turn

Solve the following pair of simultaneous equations:

$$4x - 5y = 1$$

$$x^2 + y^2 = 61$$

### Worked Example

Solve:

$$3y^2 - 2x^2 = 19$$

$$2y + 3x = 15$$

### Your Turn

Solve:

$$2y^2 - 3x^2 = 38$$

$$3y + 2x = 19$$

### Worked Example

Solve the following pair of simultaneous equations:

$$y = x^2 + x - 2$$

$$y = 2x + 4$$

### Your Turn

Solve the following pair of simultaneous equations:

$$y = x^2 + 7x - 2$$

$$y = 2x + 4$$

## Fill in the Gaps

Question	State $x = / y =$ substitution	Substitute and rearrange to give quadratic equation	Solve the quadratic equation	Find corresponding $y$ or $x$ values
$y = x^2 - 5x + 3$ $y = 2x - 7$	$y = 2x - 7$	$2x - 7 = x^2 - 5x + 3$ $0 = x^2 - 7x + 10$	$(x - 2)(x - 5) = 0$ $x = 2$ or $x = 5$	
$x^2 + 2y = 13 - 4x$ $x + y = 5$	$y = 5 - x$	$x^2 + 2(5 - x) = 13 - 4x$ $x^2 + 10 - 2x = 13 - 4x$ $x^2 + 2x - 3 = 0$		
$x^2 + y^2 = 20$ $x - y = 2$	$x = y + 2$			
$y + 10 = x^2 + x$ $x - y - 1 = 0$				
$3x^2 - 2y = 7x - 8$ $3x = y - 2$				
$x^2 + y^2 + xy = 31$ $x + y + 1 = 0$				

## Extra Notes

## 4 Advanced Sequences



# Geometric Sequences

### Worked Example

Generate the first 5 terms of the following geometric sequence:  $4 \times 3^{n-1}$

### Your Turn

Generate the first 5 terms of the following geometric sequence:  $5 \times 4^{n-1}$

### Worked Example

Write down the  $n^{\text{th}}$  term of the following geometric sequences:

- a) 4, 12, 36, 108
- b) 4, -12, 36, -108
- c) 108, 36, 12, 4
- d)  $\sqrt{7}$ , 7,  $7\sqrt{7}$ , 49
- e)  $3p^4$ ,  $6p^4q^4$ ,  $12p^4q^8$

### Your Turn

Write down the  $n^{\text{th}}$  term of the following geometric sequences:

- a) 5, 20, 80, 320
- b) 5, -20, 80, -320
- c) 320, 80, 20, 5
- d)  $\sqrt{3}$ , 3,  $3\sqrt{3}$ , 9
- e)  $2x^4$ ,  $\frac{8x^4}{y^4}$ ,  $\frac{32x^4}{y^8}$

### Worked Example

The second term of a geometric sequence is 78. The sixth term of the same sequence is 101,088. Calculate the value of the common ratio.

### Your Turn

A geometric sequence has second and fifth terms 108 and 4, respectively. Calculate the value of the common ratio.

### Worked Example

The value of a car at the start of year  $n$  is  $V_n$ . The value at the start of the following year is  $V_{n+1}$  where  $V_{n+1} = kV_n$ . A car was purchased as new in 2020 for £3,200. The same car was sold in 2022 for £2,048. Work out the value of the depreciation constant  $k$ .

### Your Turn

At the start of year  $n$ , the number of animals in a population is  $P_n$ . At the start of the following year, the number of animals in the population is  $P_{n+1}$  where  $P_{n+1} = kP_n$ . At the start of 2017 the number of animals in the population was 4000. At the start of 2019 the number of animals in the population was 3610. Find the value of the constant  $k$ .

### Worked Example

A geometric series has first term  $(x - 3)$ , second term  $(x + 1)$  and third term  $(4x - 2)$ . Find the two possible values of  $x$ .

### Your Turn

The first three terms of a geometric series are  $4p$ ,  $(3p + 15)$  and  $(5p + 20)$  respectively, where  $p$  is a positive constant. Find the value of  $p$ .

# Quadratic Sequences

### Worked Example

Generate the first 5 terms of the following quadratic sequence:  
 $3n^2 + 2n - 5$

### Your Turn

Generate the first 5 terms of the following quadratic sequence:  
 $3n^2 - 2n + 5$



### Worked Example

Find the  $n^{\text{th}}$  term of the following sequence: 0, 11, 28, 51, 80

### Your Turn

Find the  $n^{\text{th}}$  term of the following sequence: 6, 13, 26, 45, 70

### Worked Example

Here are the first five terms of a quadratic sequence  
 $6, -4, -22, -48, -82$   
Find an expression, in terms of  $n$ , for the  $n$ th term of the sequence.

### Your Turn

Here are the first five terms of a quadratic sequence  
 $-14, -25, -38, -53, -70$   
Find an expression, in terms of  $n$ , for the  $n$ th term of the sequence.

### Worked Example

The  $n$ th term of a sequence is given by  $an^2 + bn + c$   
The second term is 23, the fourth term is 57 and the sixth term is 107. Find the values of  $a$ ,  $b$  and  $c$ .

### Your Turn

The  $n$ th term of a sequence is given by  $an^2 + bn + c$   
The fourth term is 34, the seventh term is 124 and the eleventh term is 328. Find the values of  $a$ ,  $b$  and  $c$ .

### Worked Example

A quadratic sequence has an  $n$ th term of  $-3n^2 + 2n - 2$   
A term in this sequence is equal to  $-343$ .  
Find the position of this term.

### Your Turn

A sequence has an  $n$ th term of  $-2n^2 - 5n + 1$   
A term in this sequence is equal to  $-816$ .  
Find the position of this term.

### Worked Example

Here are the first five terms of a sequence.

$-11, -14, -13, -81$

An expression for the  $n$ th term of this sequence is

$$2n^2 - 9n - 4.$$

Find an expression for the  $n$ th term of a sequence whose first five terms are  $-99, -126, -117, -729$

### Your Turn

Here are the first five terms of a sequence.

$-8, -5, 2, 13, 28$

An expression for the  $n$ th term of this sequence is

$$2n^2 - 3n - 7.$$

Find an expression for the  $n$ th term of a sequence whose first five terms are

$56, 35, -14, -91, -196$

## Fill in the Gaps

Sequence	Type	$n^{\text{th}}$ term	10 <sup>th</sup> term	11 <sup>th</sup> term	12 <sup>th</sup> term	30 <sup>th</sup> term	Is 60 in the sequence?
8, 11, 14, 17, ...							
4, 11, 20, 31, ...							
			67	74	81		
-4, -10, -16, -22, ...							
0, 11, 28, 51, ...							
		$n^2 + 12n - 4$					
3, 7, 15, 27, ...							
		$4n - 8$					
		$4n^2 + n$					
-3, 0, 5, 12, ...							
	Linear		56		66		
	Linear				70	178	

# Fill in the Gaps

eg	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text" value="-1"/>	<input type="text" value="2"/>	<input type="text" value="5"/>	<input type="text" value="8"/>	...	<input type="text" value="71"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>
(a)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text" value="12"/>	<input type="text" value="17"/>	<input type="text" value="22"/>	<input type="text" value="27"/>	...	<input type="text" value="162"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>
(b)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text" value="8"/>	<input type="text" value="6"/>	<input type="text" value="4"/>	<input type="text" value="2"/>	...	<input type="text" value="-96"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>
(c)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text" value="3.5"/>	<input type="text" value="6.5"/>	<input type="text" value="9.5"/>	<input type="text" value="12.5"/>	...	<input type="text" value="123.5"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>
(d)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text" value="-0.3"/>	<input type="text" value="-0.1"/>	<input type="text" value="0.1"/>	<input type="text" value="0.3"/>	...	<input type="text" value="2.7"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>
(e)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	...	<input type="text" value="430"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; = 8n - 2"/>	<input type="text" value="k ="/>
(f)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	...	<input type="text" value="-7.5"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; = 4 - 0.5n"/>	<input type="text" value="k ="/>
(g)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	...	<input type="text" value="6&lt;math&gt;\frac{1}{8}&lt;/math&gt;"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; = &lt;math&gt;\frac{1}{4}n + \frac{3}{8}&lt;/math&gt;"/>	<input type="text" value="k ="/>
(h)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	...	<input type="text" value="-194"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; = -3n - 2"/>	<input type="text" value="k ="/>
(i)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text" value="5.8"/>	<input type="text"/>	<input type="text" value="7.4"/>	<input type="text"/>	...	<input type="text" value="20.2"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>
(j)	$u_1$	$u_2$	$u_3$	$u_4$	...	$u_k$		
	<input type="text"/>	<input type="text" value="-5.2"/>	<input type="text"/>	<input type="text" value="-15.6"/>	...	<input type="text" value="-130"/>	<input type="text" value="u&lt;sub&gt;n&lt;/sub&gt; ="/>	<input type="text" value="k ="/>

## Extra Notes



## 5 Limiting Values of Sequences (L2FM Only)

## Worked Example

As  $n \rightarrow \infty$ :

a)  $\frac{5}{n} \rightarrow$

b)  $\frac{3n^2}{n} \rightarrow$

c)  $\frac{4n}{3n+1} \rightarrow$

## Your Turn

As  $n \rightarrow \infty$ :

a)  $\frac{8}{n} \rightarrow$

b)  $\frac{n^2}{n} \rightarrow$

c)  $\frac{7n}{2n+1} \rightarrow$

### Worked Example

The  $n$ th term of a sequence is  $\frac{6n^2+n+5}{n^2+4n-5}$

Write down the limiting value of the sequence as  $n \rightarrow \infty$

### Your Turn

The  $n$ th term of a sequence is  $\frac{3n^2+4n+6}{2n^2+5n+3}$

Write down the limiting value of the sequence as  $n \rightarrow \infty$

### Worked Example

- a) Find the  $n^{\text{th}}$  term of the sequence  $9, \frac{13}{6}, \frac{17}{11}, \frac{21}{16} \dots$   
b) Hence find the limit of the sequence as  $n \rightarrow \infty$

### Your Turn

- a) Find the  $n^{\text{th}}$  term of the sequence  $\frac{1}{5}, \frac{4}{7}, \frac{7}{9}, \frac{10}{11} \dots$   
b) Hence find the limit of the sequence as  $n \rightarrow \infty$

## Extra Notes

## 6 Algebraic Proof

## Fluency Practice

**Forming Expressions**      If  $n$  is any integer,  
 how can we form algebraic expressions to describe  
 these types, sequences, sums & products of numbers?

A number	
An even number	
An odd number	
Two consecutive numbers	
Two consecutive even numbers	
Two consecutive odd numbers	
The sum of two consecutive numbers	
The sum of two consecutive even numbers	
The sum of two consecutive odd numbers	
A number squared	
The square of an even number	
The square of an odd number	
The product of two consecutive numbers	
The product of two consecutive even numbers	
The product of two consecutive odd numbers	

### Worked Example

A number is given as  $5n - 8$  where  $n$  is an integer.  
Write down the expression for the next consecutive integer.

### Your Turn

A number is given as  $-2n + 13$  where  $n$  is an integer.  
Write down the expression for the next consecutive integer.



### Worked Example

- a) An odd number is given as  $-2n + 13$  where  $n$  is an integer. Write down the expression for the next consecutive odd number.
- b) An even number is given as  $-2n - 4$  where  $n$  is an integer. Write down the expression for the next consecutive even number.

### Your Turn

- a) An even number is given as  $-2n + 14$  where  $n$  is an integer. Write down the expression for the next consecutive even number.
- b) An odd number is given as  $-2n - 9$  where  $n$  is an integer. Write down the expression for the next consecutive odd number.

### Worked Example

- a) Given that  $n$  is an integer. Prove that  $(2n - 5)(4n - 9) - 10$  is always an odd number.
- b) Given that  $n$  is an integer. Prove that  $(4n - 3)^2 + 9$  is always an even number.

### Your Turn

- a) Given that  $n$  is an integer. Prove that  $(4n + 9)(4n - 1) - 3$  is always an even number.
- b) Given that  $n$  is an integer. Prove that  $(2n - 7)^2 + 2$  is always an odd number.

### Worked Example

Given that  $n$  is a positive integer. Prove that  $(2m + 3)^2 - (2m + 2)^2 - 1$  is always divisible by 4.

### Your Turn

Given that  $n$  is a positive integer. Prove that  $(2m + 2)^2 - (2m - 4)^2 - 12$  is always divisible by 24.

### Worked Example

Prove that  $(2x - 7)(4x - 7) - (2x - 2)(2x - 7) + 1$  is a perfect square.

### Your Turn

Prove that  $(4y - 7)(5y - 1) - (2y + 3)(2y - 3) + 7y$  is a perfect square.

### Worked Example

Prove algebraically that the sum of any four consecutive integers is not divisible by 4.

### Your Turn

Prove algebraically that the sum of any six consecutive integers is divisible by 3.

### Worked Example

Prove algebraically that the sum of the squares of any three consecutive integers is always two more than a multiple of 3.

### Your Turn

Prove algebraically that the sum of the squares of any four consecutive integers is always two more than a multiple of 4.

### Worked Example

Prove algebraically that the sum of four consecutive even integers is always divisible by 4.

### Your Turn

Prove algebraically that the sum of three consecutive odd integers is always divisible by 3.

### Worked Example

- a) Prove algebraically that the sum of the squares of two consecutive even integers is always divisible by 4.
- b) Prove algebraically that the sum of the squares of two consecutive odd integers is always 2 more than a multiple of 4.

### Your Turn

- a) Prove algebraically that the sum of the squares of three consecutive odd integers is always 1 less than a multiple of 12.
- b) Prove algebraically that the sum of the squares of three consecutive even integers always has a remainder of 8 when divided by 12.



### Worked Example

- a) Prove algebraically that the sum of any two odd integers is always even.
- b) Prove algebraically that the difference of any two even integers is always even.

### Your Turn

- a) Prove algebraically that the sum of any two even integers is always even.
- b) Prove algebraically that the difference of any two odd integers is always even.

### Worked Example

A sequence has the  $n^{\text{th}}$  term  $n^2 - 6n + 10$ . By completing the square, show that every term is positive.

### Your Turn

A sequence has the  $n^{\text{th}}$  term  $n^2 - 10n + 27$ . By completing the square, show that every term is positive.

### Worked Example

Show that for any integer  $n$ ,  $n^2 + n$  is always even.

### Your Turn

Prove that  $n(n - 1) + 1$  is odd for all integers  $n$ .

### Worked Example

I think of a two-digit number. I then reverse the digits. Prove that the difference between the two numbers is a multiple of 9.

### Your Turn

Prove that the sum of a four-digit number and its reverse is a multiple of 11.

### Worked Example

Given that

$$4bx - 3a + 7 - 10ax \equiv -30x - 8$$

Find the values of  $a$  and  $b$ .

### Your Turn

Given that

$$ax + 5b - 8ax + 4bx \equiv -23x + 15$$

Find the values of  $a$  and  $b$ .

### Worked Example

Given that

$$3(4px - q) + 5(px + 3q) \equiv 68x - 60$$

Find the values of  $p$  and  $q$ .

### Your Turn

Given that

$$5(4ax + 3b) - 2(3ax + 2b) \equiv -84x + 66$$

Find the values of  $a$  and  $b$ .

### Worked Example

Given that

$$(2y - 1)^2 + ay + 7 = (2y + b)(2y + 4)$$

where  $a$  and  $b$  are integers, find the value of  $a$  and the value of  $b$ .

### Your Turn

Given that

$$(2x + 1)^2 - 12x + r = (2x + s)(2x - 2)$$

where  $r$  and  $s$  are integers, find the value of  $r$  and the value of  $s$ .

**Worked Example**

$$3x^2 - 3bx + 16a \equiv 3(x - a)^2 + 5$$

Work out the two possible pairs of values of  $a$  and  $b$

**Your Turn**

$$2x^2 - 2bx + 7a \equiv 2(x - a)^2 + 3$$

Work out the two possible pairs of values of  $a$  and  $b$




## Extra Notes

## 7 Advanced Vectors


### Worked Example

ABCD is a parallelogram.  
Express  $\overrightarrow{DB}$  in terms of  $x$  and  $y$ .




### Your Turn

ABCD is a parallelogram.  
Express  $\overrightarrow{CA}$  in terms of  $x$  and  $y$ .




## Worked Example

Express  $\overrightarrow{DF}$  in terms of  $p$ ,  $q$  and  $r$ .




## Your Turn

Express  $\overrightarrow{BF}$  in terms of  $x$ ,  $y$  and  $z$ .




### Worked Example

ABCD is a trapezium.  
M is the midpoint of AD.  
Find  $\overrightarrow{MA}$  in terms of  $x$  and  $y$ .




### Your Turn

ABCD is a rectangle.  
M is the midpoint of AD.  
Find  $\overrightarrow{MA}$  in terms of  $x$  and  $y$ .




### Worked Example

The point  $M$  is the midpoint of  $EF$ .  
Express  $\overrightarrow{DM}$  in terms of  $a$ ,  $b$  and  $c$ .




### Your Turn

The point  $x$  is the midpoint of  $FA$ .  
Express  $\overrightarrow{EX}$  in terms of  $x$ ,  $y$  and  $z$ .




### Worked Example

The point  $X$  shares the line segment  $FA$  in the ratio  $2 : 3$ .  
Express  $\overrightarrow{EX}$  in terms of  $x$ ,  $y$  and  $z$ .



### Your Turn

The point  $X$  shares the line segment  $FA$  in the ratio  $3 : 1$ .  
Express  $\overrightarrow{CX}$  in terms of  $a$ ,  $b$  and  $c$ .




## Fill in the Gaps

Point  $X$  divides the vector  $\overrightarrow{AB}$  in the ratio given to create vectors  $\overrightarrow{AX}$  and  $\overrightarrow{XB}$ .

$\overrightarrow{AB}$	Ratio $AX : XB$	$\overrightarrow{AX}$	$\overrightarrow{XB}$
$3a$	1 : 2	$a$	$2a$
$3a + 3b$	2 : 1	$2a + 2b$	
$4a - 4b$	3 : 1		
$5a + 10b$	3 : 2		
$10a - 15b$	1 : 4		
$a$	2 : 1	$\frac{2}{3}a$	
$a + b$	1 : 2		$\frac{2}{3}a + \frac{2}{3}b$
$a - b$	3 : 1		
$2a + b$	4 : 1		
$a - 4b$	3 : 2		
	1 : 3	$\frac{1}{4}a - \frac{1}{4}b$	
$2a - 3b$			$\frac{4}{3}a - 2b$
		$\frac{6}{5}a + \frac{3}{10}b$	$\frac{4}{5}a + \frac{1}{5}b$



## Worked Example



$PQRS$  is a parallelogram.

$N$  is the point on  $SQ$  such that  $SN : NQ = 3 : 2$

$$\vec{PQ} = \mathbf{a} \quad \vec{PS} = \mathbf{b}$$

- (a) Write down, in terms of  $\mathbf{a}$  and  $\mathbf{b}$ , an expression for  $\vec{SQ}$ .
- (b) Express  $\vec{NR}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ .

## Your Turn




Diagram **NOT**  
accurately drawn

$OAB$  is a triangle.

$$\overrightarrow{OA} = \mathbf{a}$$
$$\overrightarrow{OB} = \mathbf{b}$$


(a) Find  $\overrightarrow{AB}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ .

.....  
(1)

$P$  is the point on  $AB$  such that  $AP : PB = 3 : 1$

(b) Find  $\overrightarrow{OP}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ .  
Give your answer in its simplest form.

## Parallel Vectors




Vectors are parallel if one is a multiple of another.

## Parallel Vectors

Two vectors are parallel if they are *multiples* of each other.


Vector 1	Vector 2	Parallel?	
$\mathbf{a}$	$-\mathbf{a}$	Yes	No
$\mathbf{a} + \mathbf{b}$	$2\mathbf{a} + 2\mathbf{b}$	Yes	No
$\mathbf{a} + \mathbf{b}$	$\mathbf{a} + 2\mathbf{b}$	Yes	No
$\frac{1}{2}\mathbf{a} + \mathbf{b}$	$\mathbf{a} + 2\mathbf{b}$	Yes	No
$2\mathbf{a} + 5\mathbf{b}$	$4\mathbf{a} + 10\mathbf{b}$	Yes	No
$\mathbf{a} + \mathbf{b}$	$\mathbf{a} - \mathbf{b}$	Yes	No
$\mathbf{a} + \mathbf{b}$	$-\mathbf{a} - \mathbf{b}$	Yes	No
$\mathbf{a} - \mathbf{b}$	$-\mathbf{a} + \mathbf{b}$	Yes	No
$2\mathbf{a} + 3\mathbf{b}$	$\frac{2}{3}\mathbf{a} + \mathbf{b}$	Yes	No

## Worked Example



$X$  is a point on  $AB$  such that  $AX:XB = 3:1$ .  $M$  is the midpoint of  $BC$ .  
Show that  $\vec{XM}$  is parallel to  $\vec{OC}$ .


## Your Turn



- a) Find  $\vec{AB}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ .
- b)  $P$  is the point on  $AB$  such that  $AP:PB = 2:3$ .  
Show that  $\vec{OP}$  is parallel to the vector  $\mathbf{a} + \mathbf{b}$ .

## Straight Lines

## Worked Example




$$\overrightarrow{AN} = 2\mathbf{b}, \quad \overrightarrow{NP} = \mathbf{b}$$

$B$  is the midpoint of  $AC$ .  $M$  is the midpoint of  $PB$ .

- Find  $\overrightarrow{PB}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ .
- Show that  $NMC$  is a straight line.



## Your Turn



$$\overrightarrow{OA} = \mathbf{a} \text{ and } \overrightarrow{OB} = \mathbf{b}$$

$D$  is the point such that  $\overrightarrow{AC} = \overrightarrow{CD}$

The point  $N$  divides  $AB$  in the ratio 2: 1.


(a) Write an expression for  $\overrightarrow{ON}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ .

(b) Prove that  $OND$  is a straight line.

## Vector Proofs


## Worked Example

$OACB$  is a parallelogram. Given that  $OXC$  and  $BXQ$  are straight lines, determine the ratio  $OX : XC$ .



## Your Turn

$OACB$  is a parallelogram. Given that  $OXC$  and  $BXQ$  are straight lines, determine the ratio  $OX : XC$ .



## Worked Example

$OAB$  is a triangle.

$OPM$  and  $APN$  are straight lines.


$M$  is the midpoint of  $AB$ .

$$\vec{OA} = \mathbf{a}$$

$$\vec{OB} = \mathbf{b}$$

$$OP : PM = 3 : 2$$

Work out the ratio  $ON : NB$



## Your Turn

$OAB$  is a triangle.

$OPN$  and  $APN$  are straight lines.


$M$  is the midpoint of  $OB$ .

$$\vec{OA} = \mathbf{a}$$

$$\vec{OB} = \mathbf{b}$$

$$OP : PM = 5 : 3$$

Work out the ratio  $ON : NB$



## Extra Notes