Question		Working	Answer	Mark	Notes
1 (a)			0.000 625	1	B1
	(b)	25 000 000 oe e.g. $25 \times 10^6$ or $0.25 \times 10^8$		2	M1
		or $2.5 \times 10^n  n \neq 7$			
		Correct answer scores full marks (unless from obvious incorrect working)	$2.5 \times 10^{7}$		A1
					Total 3 marks

Question	Working	Answer	Mark	Notes
<b>2</b> (a)		8 and 4.5	1	B1 allow $\frac{9}{2}$ oe May be awarded if plotted correctly on the graph
(b)		Correct graph	2	M1 ft for at least 5 points plotted correctly (± half square)
	Correct answer scores full marks (unless from obvious incorrect working)			A1 for correct curve between $x = 0.5$ and $x = 5$ (clear intention to go through all the points and which must be curved) <b>Note:</b> If a fully correct graph is shown, but an incomplete table is shown in (a), then award the marks for (a)
				Total 3 marks

Question	Working	Answer	Mark	Notes
3	$3 \times 180 (= 540)$ or		3	M1
	360 - [(180 - 90) + (180 - 135) + (180 - 67) + (180			
	[-119)] (= 51) or			
	360 - (90 + 45 + 113 + 61) (= 51)			
	90 + 135 + 67 + 119 + x = 540 oe			M1
	411 + x = 540 oe or			
	" $540$ " – (90 + 135 + 67 + 119) or			
	$3 \times 180 - (90 + 135 + 67 + 119)$ oe or			
	540 – 411 or 180 – "51" oe			
	Correct answer scores full marks (unless from	129		A1
	obvious incorrect working)			
				Total 3 marks

Question	Working	Answer	Mark	Notes
4	1 - (0.24 + 0.4) (= 0.36) oe or		4	M1
	3x + x = 1 - (0.24 + 0.4) oe			
	48 ÷ 0.24 (= 200) or			M1
	" $(0.36)$ " ÷ 4 (= 0.09) or			
	" $0.36$ " $\div 4 \times 3 (= 0.27)$			
	"0.27" × "200" or			M1 for a complete method
	"200" × "0.36" ÷ 4 × 3			
	("200" – 48 – "80") ÷ 4 × 3			
		54		A1
				Total 4 marks

Question	Working	Answer	Mark	Notes
4	1 - (0.24 + 0.4) (= 0.36) oe or		4	M1
ALT	3x + x = 1 - (0.24 + 0.4) oe			
	$48 \div 24 (= 2)$ oe or			M1
	$\left(\frac{"0.36"}{4} \times 3\right) \div 0.24 \left(=\frac{9}{8} = 1.125\right)$ oe or			
	$\left(\frac{"36"}{4} \times 3\right) \div 24 \left(=\frac{9}{8}=1.125\right) \text{oe}$			
	"2"× $\left(\frac{"36"}{4}\times3\right)$ oe or			M1 for a complete method
	" $\frac{9}{8}$ " × 480e or			
	$("27" \div 24) \times 48$ oe			
	Correct answer scores full marks (unless from obvious incorrect working)	54		A1
				Total 4 marks

Question	Working	Answer	Mark	Notes
<b>5</b> (a)	$(y\pm 6)(y\pm 8) \text{ or } y(y+6)-8(y+6) \text{ or}$ y(y-8)+6(y-8)		2	M1 or for $(y \pm a)(y \pm b)$ where $ab = -48$ or $a + b = -2$
		(y+6)(y-8)		A1 oe Allow any letter for <i>y</i>
(b)		<i>x</i> ≤ 3	1	B1 allow $3 \ge x$ Allow any letter for x
(c)	6-14 > 12w-7w oe or $7w-12w > 14-6$ oe		3	M1 Condone = rather than > or any other sign for this mark.
	$\begin{vmatrix} -8 > 5w \text{ or } -5w > 8 \text{ or } -w > \frac{8}{5} \text{ or } w > -\frac{8}{5} \text{ or} \\ w = -\frac{8}{5} \text{ oe} \end{vmatrix}$			M1 Condone = rather than > or any other sign for this mark.
	Correct answer scores full marks (unless from obvious incorrect working)	$w < -\frac{8}{5}$		A1 oe accept $-\frac{8}{5} > w$ Must have correct sign on answer line dep on M1 (sight of correct answer in working space and just $(w =) -\frac{8}{5}$ oe on answer line gains M2 only)
				Total 6 marks

Question	Working		Answer	Mark		Notes
6	$\frac{2.9}{100} \times 5000 (= 145) \text{ oe or } 1.029 \times 5000 (= 1.029^{\circ} \times 5000) (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe or } 0.058 \times 1000 (= 5294) \text{ oe } 0.058 \times 1000 (= 5$				M1	Bank H
	or 1.058 × 5000 ( = 5290)					
	$5000 \times 0.016$ oe (= 80) oe or $5000 \times 1.016$ oe (= 5080) oe or $5000 \times 0.032$ (= 160) oe or $5000 \times 1.032$ (= 5160) oe (80 + 5000) $\times 0.016$ (= 81.28) oe	M2 for 5000 × 1.016 <sup>2</sup> (= 5161.28)		4	M1 M1	Bank G Bank G
	or $5080 \times 1.016$ (= 5161.28) oe				111	
	Correct answer scores full marks (unless incorrect working)	s from obvious	16.28		A1	I
						Total 4 marks

Question	Working	Answer	Mark	Notes
7 (a)	$18\ 000 + 14 \times 1160 (= 34\ 240)$ oe or $18\ 000 + 16\ 240 (= 34\ 240)$		4	M1
	$\frac{``34\ 240'' - 32\ 000\ (= 2240)\ or}{\frac{"34\ 240''}{32\ 000}} (= 1.07)$			M1
	$\frac{"2240"}{32\ 000} (\times 100) \text{ or }$			M1
	$\frac{"34\ 240"}{32\ 000} \times 100 (= 107) \text{ or}$			
	"1.07" – 1 (= 0.07) Correct answer scores full marks (unless from	7		A1
	obvious incorrect working)	1		
(b)	e.g. 1 - 0.15 (= 0.85) or 100(%) - 15(%) (= 85(%))		3	M1
	e.g. 39 865 ÷ 0.85 or 39 865 ÷ 85 × 100 oe			M1
	Correct answer scores full marks (unless from obvious incorrect working)	46 900		A1
				Total 7 marks

Qn	Working	Answer	Mark		Notes	
8	90 × 1000 (=90 000) or		3	M1	For one of ×1000 (eg sight of 90 000) or (÷60 ÷ 60) or ÷3600 oe	M2 for 90 ÷ 3.6
	$\frac{90}{60 \times 60} (= 0.025 \text{ or } \frac{1}{40}) \text{ or}$ $\frac{1000}{60 \times 60} (= \frac{5}{18} = 0.277) \text{ or}$ sight of 1500				ie correct conversion of distance units or of time units	or $90 \times \frac{5}{18}$
	$\frac{90 \times 1000}{60 \times 60}$ oe eg(1.5×1000)÷60			M1	For a fully correct method with correct use of brackets eg 90 000 ÷ 60 × 60 is M1 only if not recovered	
	Working required	25		A1	dep on M1	
						Total 3 marks

Question	Working	Answer	Mark	Notes
9	eg $20 \times \frac{x+3}{4} - 20 \times \frac{7-x}{5} = 20 \times 4.3$ or eg $5(x+3) - 4(7-x) = 20 \times 4.3$ or eg $\frac{5(x+3)}{20} - \frac{4(7-x)}{20} (= 4.3)$ or eg $\frac{5(x+3) - 4(7-x)}{20} (= 4.3)$		3	<ul> <li>M1 For clear intention to multiply all terms by 20 (or 4 × 5) or a multiple of 20 oe or to express LHS as two fractions over 20 (or 4 × 5) or a multiple of 20 oe or as a single fraction with a denominator of 20 (or 4 × 5) or a multiple of 20 oe if expanded numerator, allow one error</li> </ul>
	eg $5x + 15 - 28 + 4x = 4.3 \times 20$ oe eg $9x - 13 = 86$ eg $9x = 99$			M1 Expanding brackets and multiplying by denominator with no more than one error in total from multiplying out brackets [we must see 4.3 × 20 or 86 accurately]
	Working required	11		A1 dep on M1
				Total 3 marks

Question	Working	Answer	Mark	Notes
10	$r = \sqrt{\frac{49\pi}{4\pi}} \text{ oe } (= 3.5)$		3	M1
	$[\text{volume} =] \frac{4}{3} \times \pi \times "3.5"^3$			M1
	Correct answer scores full marks (unless from obvious incorrect working)	180		A1 awrt 180
				Total 3 marks

Question	Working	Answer	Mark	Notes
11	$6 \times 11 + 18 \times 25 + 30 \times 23 + 42 \times 15 + 54 \times 6$ (= 2160) or		4	M2 for at least <b>4</b> correct products added (need not be evaluated) <b>or</b> If not M2 then award:
	66 + 450 + 690 + 630 + 324 (= 2160) [lower bound products are: 0, 300, 552, 540, 288] [upper bound products are: 132, 600, 828, 720, 360]			M1 for consistent use of value within interval (including end points) for at least 4 products which must be added or correct midpoints used for at least 4 products and not added
	"2160" ÷ "80"			M1 dep on at least M1 Allow division by their $\Sigma f$ provided addition or total under column seen
	Correct answer scores full marks (unless from obvious incorrect working)	27		A1
				Total 4 marks

Question	Working	Answer	Mark	Notes
12	eg $5x - 1 = 3x + 7.4$ oe		4	M1 a correct equation to find x
	or			or
	eg $10x - 2 + 48$ or $6x + 14.8 + 48$ or $24 + 24 + 5x - 1 + 3x + 7.4$ oe			a correct expression for the perimeter
				in terms of x
	12			
	x = 4.2			A1 the correct value of $x$
				(implies previous mark)
	$2 \times 24 + 2(5 \times ``4.2" - 1)$ oe or $2 \times 24 + 2(3 \times ``4.2" + 7.4)$ oe			M1dep on a correct method to find the
				perimeter – use of positive $x$ from
	or			correct working (1 <sup>st</sup> M1 awarded for an
				equation) and only if used the same
	$2 \times 24 + (5 \times 4.2 - 1) + (3 \times 4.2 + 7.4)$ oe eg $24 + 24 + 20 + 20$ oe			measurement for $AD$ and $BC$
	1 1	0.0		
	working required	88		A1 cao dep on either M1 or $x = 4.2$
				Total 4 marks

Question	Working	Answer	Mark	Notes
<b>13</b> (a)		2.745	1	B1
(b)		2.755	1	B1 allow 2.7549
(c)	$(80 \times 60) \div 2^2$		2	M1 For two of 80, 60, 2 or 4 rather than $2^2$ oe
	eg $(80 \times 60) \div 2^2 = 1200$ oe working with rounded values seen required	1200		A1 dep on M1 for answer coming from use of the 3 rounded numbers – if 1200 seen then ignore any other working and comments
				Total 4 marks

Question	Working	Answer	Mark	Notes	
14	$\cos 50 = \frac{18}{(AB)}$ or $\sin 40 = \frac{18}{(AB)}$ or $\frac{(AB)}{\sin 90} = \frac{18}{\sin 40}$		5	M1	M2 for $(AB =)\sqrt{18^2 + (18 \tan 50)^2}$ oe
				2.61	
	$(AB =) \frac{18}{\cos 50} (= 28.0030)$ oe or 28 or			M1	(= 28.0030) or 28
	$(AB =) \frac{18}{\sin 40} (= 28.0030)$ oe or 28				
	$\frac{1}{2} \times \pi \times "28.0030" (= 43.9)$ oe or 44			M1 for us	se of $\pi d$ or $\frac{1}{2}\pi d$ oe
	$\pi \times "28.0030" (= 87.9)$ oe or 88			Allow an scored	y value of $AB > 18$ if M2 not
	"28" + "43.9" (= 71.9900) or			M1ft from	n previous M1
	"28" + "44"	eir d + their $\frac{1}{2}\pi d$			
	Correct answer scores full marks (unless from obvious incorrect working)	72		A1 awrt 7	72
					Total 5 marks

Question	Working	Answer	Mark	Notes
15	$2:3:15$ oe or 20 or $(1:5) \times 3$ or		3	M1
	(1:5=) 3:15 or			
	2n: 3n: 15n e.g. $4: 6: 30$ or			
	G(reen) = 2, O(range) = 3, Y(ellow) = 15			
	$-\frac{2}{4}$ ¥ 280 oe or 14 × 2 or			M1
	$\frac{1}{20''}$ 2000 of 14 ~ 2 of			
	2 1/ 220			
	$\frac{2}{"2"+"3"+"15"}$ ¥ 280 oe or			
	2n $x = 200$			
	$\frac{2n}{"2n"+"3n"+"15n"} \neq 280 \text{ oe}$			
	Correct answer scores full marks (unless from	28		A1 or 28 : 42 : 210 or 28 , 42 , 210
	obvious incorrect working)			If not in this order must be labelled correctly
				Total 3 marks

Question	Working	Answer	Mark		Notes
<b>16</b> (a)	FD are: 6, 7, 5, 4, 1.8		3	M1	For at least two frequency densities correct or at least two correct bars
				M1	For at least 4 correct frequency densities or 4 correct bars
	A fully correct histogram gains full marks	Correct histogram		A1	Fully correct histogram SCB2 for all five bars of correct width with heights in the correct ratio (eg drawn at 0.6, 0.7, 0.5, 0.4, 0.18) SCB1 for three bars of correct width with heights in the correct ratio
(b)	$(9 + \frac{2}{3} \times 12) (= 17)$ oe eg $9 + 8 (= 17)$ or $55 - (12 + 7 + 15 + \frac{1}{3} \times 12)$		2	M1	may be seen as numerator of fraction (ft their graph dep on M1 in (a))
	Correct answer scores full marks (unless from obvious incorrect working)	$\frac{17}{55}$		Alcao	Or 0.30909or 30.909% (to at least 2 sf) SCB1 for $\frac{38}{55}$ (0.6909)
					Total 5 marks

Question	Working	Answer	Mark	Notes
17	$[k=] \frac{6+17}{2}$ or $[k=] 6 + \frac{17-6}{2}$ or or		3	M1
	$[j = ] 4 + 2(15 - 4)$ or $[j = ] 15 + (15 - 4)$ or $\frac{4 + j}{2} = 15$ oe			
	<i>Correct answers score full marks (unless from obvious incorrect working)</i>	26		A1
	1 correct answer will score M1A1 and both will score M1A1A1	11.5		A1 oe eg $\frac{23}{2}$
				both answers the wrong way round scores M1A1 unless the correct answers are clearly labelled in working space
				Total 3 marks

Question	Working	Answer	Mark		Notes
18			3	M1	4 and 34 clearly indicated – either in list or in
					working (condone 26 also indicated in list)
				A1	For IQR for team $A = 34 - 4 (= 30)$
		The IQR for Team <b>B</b> was		B1ft	Must ft dep on IQR stated for team A
		higher than the IQR for Team			Either comparing the IQR correctly or for giving a
		A oe			comparison in context about spread as long as not
		or			contradicted by further statements as this would be
		Team <b>B</b> had an interquartile			choice
		range of "12" more than team			
		Α			<u>NOT</u>
		or			Team <b>B</b> scored more runs than team <b>A</b>
		The runs scored were more			
		spread out for Team <b>B</b> than for			The average score of $\mathbf{B}$ is higher than the average
		Team A oe			score of A
		or			
		The runs for Team A were			The IQR of <b>A</b> was 30 while the IQR of <b>B</b> was 42
		more consistent oe			
					The range of <b>B</b> was more than the range of <b>A</b>
					Total 3 marks

Question	Working	Answer	Mark	Notes
19	45.225 or 45.235 or		5	B2 for all 6 correct
	5.115 or 5.125 or			(B1 for 4 or 5 correct)
	8.45 or 8.55			Accept
				45.2349 for 45.235
				5.1249 for 5.125
				8.549 for 8.55
	$\frac{45.235 - 5.115}{8.45} (= 4.7479)$			M1 for correct substitution into the UB
	8.45			$a = \frac{v - u}{t}$ where
				$45.23 < v_{(UB)} \le 45.235$
				$5.115 \le u_{(LB)} < 5.12$
				8.45 $\leq t_{(LB)} < 8.5$
	$\frac{45.225 - 5.125}{8.55} (= 4.6900)$			M1 for correct substitution into the <i>LB</i>
	8.55			$a = \frac{v - u}{t}$ where
				L L
				$45.225 \le v_{(LB)} \le 45.23$
				5.12 $< u_{(UB)} \le 5.125$
				8.5 $< t_{(UB)} \le 8.55$
	Working required	4.7 and correct reason		A1 dep on M2
				4.7 and both answers round to 4.7 oe
				e.g.1 dp or 2 sf
				Total 5 marks

Question	Working	Answer	Mark	Notes	
20	$\pi \times 4.8^2 \times \frac{72}{360} (= 14.4(76))$ oe		5	M1 for finding the area of the sector	
	$\frac{1}{2} \times 4.8^2 \times \sin 72 (= 10.9(56) \text{ or } 11) \text{ oe or}$			M1 for finding the area of the triangle (Allow use of cosine rule/sine	
	$\frac{1}{2} \times 5.6(4) \times 3.8(8)$ oe	rule/SOHCAHTOA/Py (5.6(427.8)) and <i>OM</i> <i>M</i> is the midpoint of <i>A</i>			
	"14.4(76)" – "10.9(56)" (= 3.520)			M1 for finding the shaded area with all figures from correct working	
	"3.5(20)" × 14 × 3 × 60 "3.5(20)" × 2520			M1	
	Award marks within the range from correct working	8870		A1 accept 8820 – 8950 from correct working	
				Total 5 marks	

					Edexce	l average	es: score	s of canc	lidates w	ho achie	ved grad	e:	
Qn	Skill tested	Mean score	Max score	Mean %	ALL	9	8	7	6	5	4	3	U
1	Standard form	2.32	3	77	2.32	2.89	2.76	2.64	2.48	2.14	1.72	1.17	0.55
2	Graphs	2.32	3	77	2.32	2.82	2.67	2.58	2.53	2.27	1.73	1.29	0.54
3	Polygons	2.07	3	69	2.07	2.94	2.85	2.53	2.19	1.62	0.99	0.41	0.08
4	Probability	2.60	4	65	2.60	3.71	3.48	3.21	2.72	2.09	1.30	0.42	0.13
5	Inequalities	3.98	6	66	3.98	5.62	5.17	4.72	4.08	3.32	2.20	1.12	0.28
6	Percentages	2.74	4	69	2.74	3.78	3.52	3.14	2.79	2.21	1.71	1.01	0.34
7	Percentages	4.70	7	67	4.70	6.71	5.96	5.29	4.69	3.93	2.60	1.70	0.81
8	Measures	1.94	3	65	1.94	2.80	2.50	2.24	2.02	1.54	1.03	0.61	0.18
9	Linear equations	1.76	3	59	1.76	2.88	2.57	2.24	1.57	1.01	0.57	0.26	0.04
10	3D shapes and volume	1.69	3	56	1.69	2.82	2.54	2.18	1.63	0.95	0.29	0.10	0.01
11	Statistical measures	2.50	4	63	2.50	3.78	3.25	2.86	2.43	1.91	1.31	0.61	0.26
12	Mensuration of 2D shapes	2.29	4	57	2.29	3.78	3.26	2.72	2.17	1.50	0.66	0.16	0.09
13	Degree of accuracy	2.09	4	52	2.09	3.67	3.23	2.52	1.85	1.14	0.35	0.06	0.02
14	Trigonometry and Pythagoras'	2.28	5	46	2.28	4.27	3.45	2.87	1.74	0.95	0.40	0.06	0.00
15	Ratio and proportion	1.43	3	48	1.43	2.59	2.01	1.70	1.22	0.77	0.36	0.09	0.03
16	Probability	2.23	5	45	2.23	4.25	3.53	2.50	1.65	0.82	0.40	0.13	0.02
17	Graphs	1.37	3	46	1.37	2.75	2.24	1.35	0.97	0.48	0.18	0.05	0.03
18	Statistical measures	1.14	3	38	1.14	2.18	1.54	1.30	0.87	0.61	0.26	0.04	0.03
19	Degree of accuracy	1.32	5	26	1.32	2.93	2.01	1.42	0.68	0.41	0.06	0.03	0.01
20	Trigonometry and Pythagoras'	1.33	5	27	1.33	3.48	1.94	1.08	0.38	0.15	0.03	0.01	0.00
		44.10	80	55	44.10	70.65	60.48	51.09	40.66	29.82	18.15	9.33	3.45

#### Suggested grade boundaries

Grade	9	8	7	6	5	4	3
Mark	66	56	46	35	24	14	6