KING EDWARD VI
HANDSWORTH GRAMMAR
SCHOOL FOR BOYS

KING EDWARD VI
ACADEMY TRUST
BIRMINGHAM

Year 7
2024 Mathematics 2025
Unit 1 Booklet

HGS Maths

Tasks

Dr Frost Course

Name: _____

Class: _____

Contents

1 Factors, Multiples and Primes

1.1 Types of Numbers

Frayer Model – Integers

Definition	**Characteristics**
Examples	**Non-Examples**

Frayer Model – Square Numbers

Definition	**Characteristics**
Examples	**Non-Examples**

Frayer Model – Cube Numbers

Definition	**Characteristics**
Examples	**Non-Examples**

Frayer Model – Triangular Numbers

Definition	**Characteristics**
Examples	**Non-Examples**

Worked Example	Your Turn
1) Write down the fifth square number	1) Write down the eighth square number
2) Write down the second cube number	2) Write down the third cube number
3) Square 12	3) Square 9
4) Cube 8	4) Cube 5
5) Write down the fifth triangular number	5) Write down the eighth triangular number

1.2 Multiples

Frayer Model – Multiples

Definition	**Characteristics**
Examples	**Non-Examples**

Worked Example	Your Turn
a) Write down the first six multiples of 6 b) Write down the first six multiples of 23	a) Write down the first six multiples of 8 b) Write down the first six multiples of 37

1.3 Common Multiples

Worked Example	Your Turn
a) Find the first three common multiples of 6 and 15 b) Find the first three common multiples of 21 and 24	a) Find the first three common multiples of 8 and 20 b) Find the first three common multiples of 32 and 36

Worked Example	Your Turn
Dr. Clark's age is a multiple of 5 and 9. His age is one away from a multiple of 7. He is younger than 100 years old. How old is Dr. Clark?	Dr. Martinez's age is a multiple of 9 and 12. Her age is one away from a multiple of 7. She is younger than 40 years old. How old is Dr. Martinez?

1.4 Lowest Common Multiple

Frayer Model – Lowest Common Multiple

Definition	**Characteristics**
Examples	**Non-Examples**

Worked Example	Your Turn
a) Find the LCM of 6 and 15 b) Find the LCM of 21 and 24	a) Find the LCM of 8 and 20 b) Find the LCM of 32 and 36

1.5 Divisibility Tests

Divisibility Tests for 2, 5 and 10

Number	Test	Example	Non-Example
2	Number ends in 0, 2, 4, 6 or 8	1246	3273
5	Number ends in 0 or 5	3825	1011
10	Number ends in 0	4890	3568

Divisibility Tests for 4 and 8

Number	Test	Example	Non-Example
4	Last two digits divisible by 4	7356	9382
8	Last three digits divisible by 8	4512	8148

Divisibility Tests for 3 and 9

Number	Test	Example	Non-Example
3	Sum of digits divisible by 3	1353	4567
9	Sum of digits divisible by 9	1458	3057

Divisibility Test for 7

Number	Test	Example	Non-Example
7	Multiply the last digit by 5 and add it to the remaining part of the number, and see if the result is divisible by 7	9961	3581

Divisibility Test for 11

Number	Test	Example	Non-Example
11	Sum of odd-positioned digits subtract sum of even-positioned digits and see if the result is divisible by 11	2761 8261	5476

Divisibility Tests for 6 and 12

Number	Test	Example	Non-Example
6	Divisible by both 2 and 3	4728	7352
12	Divisible by both 3 and 4	3576	1222

Worked Example	Your Turn
Find which possible digit(s) could go in the box to make 958□ divisible by 6.	Find which possible digit(s) could go in the box to make 16□24 divisible by 8.

1.6 Factors

Frayer Model – Factors

Definition	**Characteristics**
Examples	**Non-Examples**

Worked Example	Your Turn
a) Find all the factors of 44 b) Find all the factors of 120	a) Find all the factors of 88 b) Find all the factors of 180

1.7 Prime Numbers

Frayer Model – Prime Numbers

Definition	**Characteristics**
Examples	**Non-Examples**

Activity

1	2	3	4	5	6	7
	8	9	10	11	12	13
	14	15	16	17	18	19
	2	21	22	23	24	25
	26	27	28	29	30	31
	32	33	34	35	36	37
	38	39	40	41	42	43
	44	45	46	47	48	49
	50	51	52	53	54	55
	56	57	58	59	60	61
	62	63	64	65	66	67
	68	69	70	71	72	73
	74	75	76	77	78	79
	80	81	82	83	84	85
	86	87	88	89	90	91
	92	93	94	95	96	97
	98	99	100			

1.8 Common Factors

Worked Example	Your Turn
a) Find the common factors of 6 and 15 b) Find the common factors of 84 and 96	a) Find the common factors of 8 and 20 b) Find the common factors of 42 and 98

1.9 Highest Common Factor

Frayer Model – Highest Common Factor

Definition	**Characteristics**
Examples	**Non-Examples**

Worked Example	Your Turn
a) Find the HCF of 6 and 15 b) Find the HCF of 84 and 96	a) Find the HCF of 8 and 20 b) Find the HCF of 42 and 98

1.10 HCF and LCM Worded Problems

Worked Example	Your Turn
Two strings of different lengths, 15 cm and 24 cm are to be cut into equal integer lengths. What is the greatest possible length of each piece?	Two strings of different lengths, 18 cm and 30 cm are to be cut into equal integer lengths. What is the greatest possible length of each piece?

Worked Example	Your Turn
Two lighthouses flash their lights every 15 s and 24 s respectively. They both flash at the same time. After how many seconds will they next both flash at the same time.	Two lighthouses flash their lights every 18 s and 30 s respectively. They both flash at the same time. After how many seconds will they next both flash at the same time.

Worked Example	Your Turn
Mary is organising a charity hot dog sale. There are 18 bread rolls in each packet. There are 15 hot dogs in each packet. Mary buys exactly the same number of bread rolls as hot dogs. What is the smallest number of each packet that Mary can buy?	Mary is organising a charity hot dog sale. There are 30 bread rolls in each packet. There are 24 hot dogs in each packet. Mary buys exactly the same number of bread rolls as hot dogs. What is the smallest number of each packet that Mary can buy?

2 Sets and Venn Diagrams

2.1 Sets

A set is a collection of numbers, or letters, or symbols, or objects, etc., which are related in some way.

The items in a set are called '**members**' or '**elements**'

Curly brackets (often called 'braces') are usually used when listing or describing sets – this helps to distinguish sets from lists of unrelated items.

The elements within a set are usually described in words or listed

Examples:

Description in words	**List of elements**
{even numbers less than 11}	{2, 4, 6, 8, 10}
{the first five prime numbers}	{2, 3, 5, 7, 11}
{multiples of three between 10 and 20}	{12, 15, 18}
{factors of 27 which are even}	{ }

More examples of sets:

Description in words	**List of elements**
{quadrilaterals with four equal length sides}	{square, rhombus}
{vowels}	{a, e, i, o, u}
{letters in the word 'banana'}	{a, b, n}
{yellow fruit}	{grapefruit, banana, lemon, …}

Notes:

Elements are only ever included once – as shown with {letters in the word 'banana'} = {a, b, n}

{yellow fruits} is an imprecise description and the list of elements contains only examples.

Worked Example

List the following sets:

a) {factors of 15}

b) {the first four square numbers}

c) {letters in the word LONDON}

d) {possible outcomes when an ordinary coin is thrown}

Your Turn

List the following sets:

a) {the first four multiples of 15}
b) {the first four cube numbers}
c) {letters in the word BIRMINGHAM}
d) {possible outcomes when an ordinary dice is thrown}

2.2 Multiple Sets and The Universal Set

When we have more than one set, capital letters are usually used to represent them.

Examples:

Description in words	List of elements
A = {prime numbers between 10 and 20}	A = {11, 13, 17, 19}
B = {factors of 24}	B = {1, 2, 3, 4, 6, 8, 12, 24}
C = {vowels}	C = {a, e, i, o, u}

Note that it is often convenient to use letters that are in some way connected to the description of the set.

e.g. P = {prime numbers between 10 and 20}, F = {factors of 24} and V = {vowels}

The Universal set is the set of all elements under consideration.

Elements that can be in other sets are restricted to those within the Universal set. For example, if the Universal set was {integers less than 10}, then {prime numbers} would be limited to {2, 3, 5, 7}.

Likewise if the Universal set was {even numbers}, then {factors of 18} would be {2, 6, 18}

Notation

In Britain the special symbol '$\mathcal{E}$' is used to represent the Universal set but in some countries, such as America, the letter 'U' is used.

Thus we could write

$\mathcal{E}$ = {integers less than 10} or $\mathcal{E}$ = {prime numbers}

Worked Example

a) ξ = {odd numbers less than 15}
A = {prime numbers}
B = {multiples of 3}
List:

i) A

ii) B

b) ξ = {first 10 letters of the alphabet}
X = {vowels}
Y = {letters in the word 'ENGLISH'}
List:

i) X

ii) Y

c) ξ = {factors of 24}
P = {prime numbers}
E = {even numbers}
O = {odd numbers}
List:

i) P

ii) E

iii) O

Your Turn

a) ξ = {even numbers less than 15}
A = {prime numbers}
B = {multiples of 3}
List:

i) A

ii) B

b) ξ = {first 10 letters of the alphabet}
X = {vowels}
Y = {letters in the word 'FRENCH'}
List:

i) X

ii) Y

c) ξ = {factors of 30}
P = {prime numbers}
E = {even numbers}
O = {odd numbers}
List:

i) P

ii) E

iii) O

2.3 Venn Diagrams with Two Circles



A Venn diagram ('created' by John Venn)
is a pictorial view of the relationships between sets.

A rectangle is drawn to represent the Universal set, and one or more ovals to represent the other sets.

Worked Example

Complete the Venn Diagram:

5 students were picked from Year 7

$\xi =$ 

Anna Tom Mary Jack Beth



We want to sort the numbers 1 to 10.

$\xi = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10$



Your Turn

Complete the Venn Diagram:



ξ = 3, 4, 5, 7, 10, 12, 13, 15, 20, 24, 25



Fluency Practice

Venn Diagrams

1

Complete each Venn Diagram

A) ξ =

1	2	3
7	8	9
11	12	13
16	17	18



B) ξ =

34	14	15	28
21	70	20	13
1	25	7	16
6	35	18	41



C) ξ = Numbers from 1 to 25

What fraction of the numbers are not a multiple of 3 or 4?



Fluency Practice

Venn Diagrams

2

Complete each Venn Diagram

A) ξ =

44	90	45	88
54	27	6	26
91	16	71	9
18	13	24	33



B) ξ = Even numbers from 10 to 40

What fraction of the numbers are multiple of 4 and 5?



In the next questions complete the **full Venn diagram** including the numbers in ξ but not in the sets.

D) ξ = Multiples of 2 up to 20 inclusive



E) ξ = Multiples of 5 up to 50 inclusive



F) ξ = Multiples of 8 up to 40 inclusive



G) ξ = Multiples of 6 up to 60 inclusive



Venn Diagrams for Factors

A) ξ = Factors of 24



B) ξ = Factors of 36



C) ξ = Factors of 28



D) ξ = Factors of 54



E) ξ = Factors of 60



F) ξ = Factors of 90



G) ξ = Factors of 42



H) ξ = Factors of 140



I) ξ = Factors of 180



Worked Example	Your Turn
Represent as a Venn diagram: $\xi = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$ $A = \{0, 1, 3, 5, 8\}$ $B = \{2, 5, 8, 9\}$	Represent as a Venn diagram: $\xi = \{2, 3, 4, 5, 7, 11, 13, 17, 19\}$ $A = \{2, 3, 5, 11, 13\}$ $B = \{5, 7, 13, 17, 19\}$

Worked Example	Your Turn
Represent as a Venn diagram: ξ =Positive integers between 1 and 10 inclusive $A = \{$Prime numbers$\}$ $B = \{$Even numbers$\}$	Represent as a Venn diagram: $\xi =$ Integers between 0 and 5 inclusive $A = \{$Prime numbers$\}$ $B = \{$Odd numbers$\}$

Worked Example	Your Turn
$\xi = \{Days\ of\ the\ week\}$ $A = \{Tuesday, Thursday\}$ $B = \{Days\ starting\ with\ S\ or\ T\}$ Draw a Venn diagram to represent this information.	$\xi = \{Months\ of\ the\ year\}$ $A = \{Months\ starting\ with\ A\}$ $B = \{Months\ with\ six\ letters\}$ Draw a Venn diagram to represent this information.

Worked Example

From the Venn diagram below, write in roster notation:

$\xi =$

$A =$

$B =$



Your Turn

From the Venn diagram below, write in roster notation:

$\xi =$

$A =$

$B =$



2.4 Venn Diagrams with Three Circles

Worked Example

Represent in a Venn diagram:

$\xi = \{Integers\ between\ 1\ and\ 10\ inclusive\}$

$A = \{odd\ numbers\}$

$B = \{numbers\ greater\ than\ 4\}$

$C = \{numbers\ less\ than\ 3\}$

Your Turn

Represent in a Venn diagram:

$\xi = \{Integers\ between\ 1\ and\ 20\ inclusive\}$

$A = \{prime\ numbers\}$

$B = \{square\ numbers\}$

$C = \{even\ numbers\}$

Worked Example

From the Venn diagram below, write in roster notation:

$\xi =$

$A =$

$B =$



Your Turn

From the Venn diagram below, write in roster notation:

$\xi =$

$A =$

$B =$



Fluency Practice

Given the following information, complete the Venn diagram shown below.

1.

- $\varepsilon = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$
- **A** is the set of factors of 24
- **B** is the set of multiples of 3
- **C** is the set of common factors of 30 and 70



2. (i) Place each of the whole numbers 42, 43, 44, 45, 46, 47, 48, 49, 50 in the correct positions in the Venn diagram.



3. The universal set, ε = {22, 23, 24, 25, 26, 27, 28, 29, 30}.

Within this universal set ε,

- set *A* is the multiples of 2
- set *B* is the multiples of 4
- set *C* is the multiples of 5

(a) Complete the Venn diagram. [3]



4. Place the whole numbers 1, 2, 3, 4, 5, 6, 7, 8, 9 and 10 in the correct positions in the Venn diagram. [3]



3 Negative Numbers

3.1 Adding and Subtracting Negative Numbers

Worked Example	Your Turn
Calculate: a) $3 - 4 =$ b) $-3 + 4 =$ c) $-3 - 4 =$ d) $-4 + 3 =$ e) $-4 - 3 =$	Calculate: a) $-5 + 7 =$ b) $-7 + 5 =$ c) $5 - 7 =$ d) $-7 - 5 =$ e) $-5 - 7 =$

Dr Frost 155b and 155f

Worked Example	Your Turn
1) Calculate: a) $3 + (-4) =$ b) $4 + (-3) =$ c) $(-3) + (-4) =$ d) $(-4) + (-3) =$	1) Calculate: a) $(-5) + (-7) =$ b) $5 + (-7) =$ c) $(-7) + (-5) =$ d) $7 + (-5) =$
2) Calculate: a) $3 - (-4) =$ b) $4 - (-3) =$ c) $(-3) - (-4) =$ d) $(-4) - (-3) =$	2) Calculate: a) $(-5) - (-7) =$ b) $5 - (-7) =$ c) $(-7) - (-5) =$ d) $7 - (-5) =$

Dr Frost 155c and 155g

3.2 Multiplying Negative Numbers

Worked Example	Your Turn
Calculate: a) $3 \times (-4) =$ b) $(-3) \times 4 =$ c) $(-3) \times (-4) =$ d) $(-4) \times (-3) =$	Calculate: a) $(-5) \times (-7) =$ b) $5 \times (-7) =$ c) $(-7) \times (-5) =$ d) $(-5) \times 7 =$

3.3 Dividing Negative Numbers

Worked Example	Your Turn
Calculate: a) $12 \div (-3) =$ b) $12 \div (-4) =$ c) $(-12) \div (-3) =$ d) $(-12) \div (-4) =$	Calculate: a) $(-35) \div (-5) =$ b) $35 \div (-5) =$ c) $(-35) \div (-7) =$ d) $35 \div (-7) =$

3.4 Real Life Applications

Worked Example	Your Turn
The temperature in Wolverhampton on Tuesday is $-15℃$. On Wednesday, the temperature decreases by $5℃$. Find the temperature in Wolverhampton on Wednesday.	The temperature in Lichfield on Saturday is $-3℃$. On Sunday, the temperature decreases by $6℃$. Find the temperature in Lichfield on Sunday.

Worked Example	Your Turn
The temperature in Derby is $-3℃$. The temperature in Birmingham is $9℃$. What is the difference between the temperature in Derby and the temperature in Birmingham?	The temperature in Birmingham is $8℃$. The temperature in Newcastle upon Tyne is $-5℃$. What is the difference between the temperature in Birmingham and the temperature in Newcastle upon Tyne?

3.5 Mixed Operations